

**D-MAX-SERIES**

# THE BOLD NEW AGE

Introducing the All-New ISUZU D-MAX. Our Boldest Pickup yet.

## D-MAX



**ISUZU**

# ISUZU D-MAX SINGLE CAB SPECIFICATIONS



MAKE	ISUZU D-MAX	ISUZU D-MAX	ISUZU D-MAX
MODEL/TRIM	TFR86 BASE HR (A/C)	TFR86 BASE HR (A/C, A/BAG)	TFS86 BASE(A/C, A/BAG)
DRIVE CONFIGURATION	4x2	4x2	4x4
<b>ENGINE</b>			
Engine code	4JK1-TC HO	4JK1-TC HO	4JK1-TC HO
Displacement (cc)	2499	2499	2499
No. of cylinders	4	4	4
Compression Ratio	18.1:1	18.1:1	18.1:1
Bore x stroke	95.4 x 87.4	95.4 x 87.4	95.4 x 87.4
No. of valves	16	16	16
Power (kW) @ r/min	100 @ 3600	100 @ 3600	100 @ 3600
Torque (Nm) @ r/min	320 @ 1800-2800	320 @ 1800-2800	320 @ 1800-2800
Fuel system	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection
Turbocharger	Std	Std	Std
Intercooler	Std	Std	Std
<b>FUEL</b>			
Fuel Type	Diesel	Diesel	Diesel
<b>TRANSMISSION</b>			
Transmission type	5-Speed Manual	5-Speed Manual	5-Speed Manual
4WD Rotary Switch Control - 2 Speed Transfer Case	-	-	Std
Low range ratio	-	-	2.482
<b>FRONT DIFFERENTIAL</b>			
Shift on the fly	-	-	Std
Axle Ratio Final Drive			4.1
<b>REAR DIFFERENTIAL</b>			
Limited Slip Differential (LSD)	Std	Std	Std
Axle Ratio Final Drive	3.909	3.909	4.1
<b>CHASSIS DESIGN</b>			
Wheel suspension front	Highride Coil Spring	Highride Coil Spring	Highride Coil Spring
Wheel suspension rear	Leaf Spring Overslung	Leaf Spring Overslung	Leaf Spring Overslung
Shock absorbers	Twin-tube gas pressurised (heavy duty)	Twin-tube gas pressurised (heavy duty)	Twin-tube gas pressurised (heavy duty)
Hi-ride suspension	Std	Std	Std
Skid plate guard	Std	Std	Std
Engine sump guard	Std	Std	Std
Transfer case guard	-	-	Std
Fuel tank guard	Std	Std	Std
<b>WHEEL/TYRES</b>			
Tyre size	205R16C (AT)	205R16C (AT)	245/70 R16 (AT)
Wheel size/type	6.5J-33x16"Steel	6.5J-33x16"Steel	7.0J-33x16" Alloy
Spare wheel size/type	6.5J-33x16"Steel	6.5J-33x16"Steel	7.0J-33x16" Steel
Turning circle, curb to curb (m)	12.8	12.8	12.8
<b>DIMENSIONS</b>			
Length (mm)	5218	5218	5218
Width (mm)	1860	1860	1860
Width inc. mirrors (mm)	2132	2132	2132
Height (mm)	1790	1790	1790
Wheelbase (mm)	3095	3095	3095
Track Front/Rear	1570/1570	1570/1570	1570/1570
Ground clearance (mm)	225	225	224
Loadbox length (mm)	2318	2318	2318
Loadbox width (mm)	1534	1534	1534
Loadbox depth (mm)	440	440	440
Approach angle (o)	30	30	30
Departure angle (o)	22.4	22.4	22.4
Breakover angle (o)	22.4	22.4	22.4
Wading depth (mm)	600	600	600
<b>MASS / CAPACITY</b>			
Gross Vehicle Mass (GVM) (kg)	2850	2850	2950
Gross Combined Mass (GCM) (kg)	4450	4450	4950
Tare mass (kg)	1705	1710	1820
Payload (kg)	1086	1086	1071
Towing capacity unbraked trailer (kg)	750	750	750
Towing capacity braked trailer (kg)	2100	2100	2100
Fuel tank capacity (l)	76	76	76

## ISUZU D-MAX SINGLE CAB SPECIFICATIONS



LOAD BOX FEATURES			
Tie-down brackets in load box for load restraint	4	4	4
Rope hooks on load box (side and rear)	12	12	12
Cab protector-black	Std	Std	Std
SAFETY FEATURES			
Anti-Lock Brakes (ABS)	-	Std	Std
Electronic Brake-Force Distribution (EBD)	-	Std	Std
Brake Assist System (BAS)	-	Std	Std
ESC with Hill Descent Control & Hill Start Assist & TSA Trailer Sway Assist	-	-	-
Brake Override System (BOS)	-	-	-
Side Impact Protection Bars	Std	Std	Std
3-point inertia seatbelts, height adjustable (x2)	Std	Std	Std
2-point front centre seat lap belt	Std	Std	Std
Seat belt pre-tensioners	-	Std	Std
Seatbelt Reminder	Std	Std	Std
Driver and front passenger airbags	-	Std	Std
Collapsible Steering Column	Std	Std	Std
SECURITY FEATURES			
Transponder immobiliser system	Std	Std	Std
INTERIOR/EXTERIOR LIGHTING			
Interior courtesy lights	Std	Std	Std
Front fog lights	Std	Std	Std
Daytime Running Lights	-	-	-
Headlights	Halogen, Multi-Reflector	Halogen, Multi-Reflector	Halogen, Multi-Reflector
Headlights "on" warning buzzer	Std	Std	Std
Side Indicator Position	Doors	Doors	Doors
Rear tail lights - combination	Bulb	Bulb	Bulb
High mounted centre stop light	Std	Std	Std
EXTERIOR FEATURES			
Radiator grille colour	Material Grey	Material Grey	Material Grey
Front bumper colour	Body Colour	Body Colour	Body Colour
Rear bumper colour	Std	Std	Std
Exterior door handle colour	Material black	Material black	Material black
Exterior mirror colour	Material black	Material black	Material black
Exterior mirrors	Manual	Manual	Manual
Folding exterior mirrors	Manual	Manual	Manual
Mudflaps	Std	Std	Std
INTERIOR FEATURES			
Power Assisted Steering (PAS)	Std	Std	Std
Gear knob trim	Std	Std	Std
Front seats configuration	Split Bench	Split Bench	Split Bench
Seat trim	Canvas	Canvas	Canvas
Floor trim	Vinyl	Vinyl	Vinyl
Driver footrest	Std	Std	Std
Air conditioner	Manual	Manual	Manual
12-V auxiliary power supply	Std	Std	Std
Door trim with storage pockets and integrated cup holders	Std	Std	Std
Fuel flap remote	Std	Std	Std
Fixed rear window, with no defogger	Std	Std	Std
Windows	Manual	Manual	Manual
Cruise Control	-	-	-
INFOTAINMENT			
Radio tuner, front-loading CD player, MP3 functionality and Bluetooth audio streaming with integrated mobile hands-free	Std	Std	Std
AM/FM Radio, Clock, Bluetooth® Audio/Hands-Free Phone, 8" Touchscreen	-	-	-
Audio input terminal: Auxiliary, USB	Std	Std	Std
No. of speakers	2	2	2
OPTIONS			
Metallic paint	opt	opt	opt
WARRANTY / SERVICE INTERVALS			
Warranty & roadside assistance	1 Year/Unlimited km	1 Year/Unlimited km	1 Year/Unlimited km
Service intervals	10,000kms	10,000kms	10,000kms

## ISUZU D-MAX DOUBLE CAB 2.5L SPECIFICATIONS



MAKE	ISUZU DMAX
MODEL/TRIM	TFS86 2.5L(BASE+,A/C,A/BAG)
DRIVE CONFIGURATION	4x4
<b>ENGINE</b>	
Engine code	4JK1-TC HO
Displacement (cc)	2499
No. of cylinders	4
Compression Ratio	18.1:1
Bore x stroke	95.4 x 87.4
No. of valves	16
Power (kW) @ r/min	100 @ 3600
Torque (Nm) @ r/min	320 @ 1800-2800
Fuel system	Common Rail Direct Injection
Turbocharger	Std
Intercooler	Std
<b>FUEL</b>	
Fuel Type	Diesel
<b>TRANSMISSION</b>	
Transmission type	5-Speed Manual
4WD Rotary Switch Control - 2 Speed Transfer Case	Std
Low range ratio	2.482
<b>FRONT DIFFERENTIAL</b>	
Shift on the fly	Std
Axle Ratio Final Drive	4.1
<b>REAR DIFFERENTIAL</b>	
Limited Slip Differential (LSD)	Std
Axle Ratio Final Drive	4.1
<b>CHASSIS DESIGN</b>	
Wheel suspension front	Coil Spring
Wheel suspension rear	Leaf Spring Overslung
Shock absorbers	Twin-tube gas pressurised (heavy duty)
Hi-ride suspension	Std
Skid plate guard	Std
Engine sump guard	Std
Transfer case guard	Std
Fuel tank guard	Std
<b>WHEEL/TYRES</b>	
Tyre size	245/70 R16 (AT)
Wheel size/type	7.0J-33x16" Alloy
Spare wheel size/type	7.0J-33x16" Steel
Turning circle, curb to curb (m)	12.8
<b>DIMENSIONS</b>	
Length (mm)	5294
Width (mm)	1860
Width inc. mirrors (mm)	2132
Height (mm)	1790
Wheelbase (mm)	3095
Track Front/Rear	1570/1570
Ground clearance (mm)	225
Loadbox length (mm)	1485
Loadbox width (mm)	1535
Loadbox depth (mm)	470
Approach angle (o)	30
Departure angle (o)	22.7
Breakover angle (o)	22.4
Wading depth (mm)	600
<b>MASS/CAPACITY (#2)</b>	
Gross Vehicle Mass (GVM) (kg)	2950
Gross Combined Mass (GCM) (kg)	4950
Tare mass (kg)	1905
Payload (kg)	986
Towing capacity unbraked trailer (kg)	750
Towing Capacity braked trailer (kg)	2100
Fuel tank capacity (l)	76

## ISUZU D-MAX DOUBLE CAB 2.5L SPECIFICATIONS



SAFETY FEATURES	
Anti-Lock Brakes (ABS)	Std
Electronic Brake-Force Distribution (EBD)	Std
Brake Assist System (BAS)	Std
Side Impact Protection Bars	Std
Height adjustable 3-point inertia seatbelts with pre tensioner and load limiter	Std
Outside - rear - 3 point Lap & fixed shoulder	Std
Centre - rear centre - 3 point	Std
Seatbelt Reminder	Std
Driver and front passenger airbags	Std
Collapsible steering column	Std
Rear park assist	Std
SECURITY FEATURES	
Remote controlled central locking	Std
Speed Sensing Automatic Door Lock	Std
Childsafe rear door locks	Std
Tail gate centre pull handle	Black
INTERIOR/EXTERIOR LIGHTING	
Interior courtesy lights	Std
Front fog lights	Std
Headlights	Halogen Multi-reflector
Headlights "on" warning buzzer	Std
Side Indicator Position	Doors
High mounted centre stop light	Std
EXTERIOR FEATURES	
Radiator grille colour	Material Grey
Front bumper colour	Body Colour
Rear bumper colour	Black
Rear step bumper with park assist	-
Exterior door handle colour	Black
Exterior mirror	Black, Power
Side steps & roof rails	Std
Mudflaps	Std
INTERIOR FEATURES	
Power Assisted Steering (PAS)	Std
Height adjustable steering column	Std
Gear knob trim	Urethane
Front seats configuration	2 * Bucket base
Rear seats configuration	Bench
Seat trim	Base cloth
Floor trim	Carpet
Driver footrest	Std
Air conditioner with cabin filter pollen	Manual
Rear heater duct	Std
Anti-dazzle rear-view mirror	Std
Electrically operated windows featuring 'Express Up and Down' for driver with jam protection	Std
12-V auxiliary power supply	2
Lockable glove box	Std
Centre console storage box with lid	Std
Fixed rear window, with defogger	Std
INFOTAINMENT	
Radio tuner with RDS, front-loading CD player, MP3 functionality and Bluetooth audio streaming with integrated mobile hands-free	Std
Audio input terminal: Auxiliary, USB, iPod	Std
No. of speakers	4
WARRANTY/SERVICE INTERVALS	
Warranty & roadside assistance	1 Year/Unlimited km
Anti-corrosion warranty	1 Year/Unlimited km
Service intervals	10,000kms

## ISUZU D-MAX DOUBLE CAB 3.0L SPECIFICATIONS



MODEL	D-max RG06 3.0 L
Drive, Transmission	4X4, Automatic
<b>ENGINE</b>	
Code	4JJ3-TCX
Type	3.0L, In-line 4-cylinder common-rail direct fuel injection with intercooled Variable Geometry System turbocharger
Displacement (cc)	2,999
Max Power kW(PS)/rpm*	140 (190)/3,600
Max Torque Nm(kgm)/rpm*	450 (45.9)/1,600 - 2,600
<b>TRANSMISSION</b>	
Type	6-speed auto
<b>SUSPENSION SYSTEM</b>	
Front	Independent, coil springs, gas shock absorbers, upper & lower wishbones, stabiliser bar
Rear	Leaf spring overslung with gas shock absorber
<b>TYRES &amp; WHEELS</b>	
Tyres	265/60 R18 (A/T Pattern)
Wheels	18" x 7.5J-33 Alloy
Spare Tyre	18" Alloy
<b>WEIGHT, CAPACITIES &amp; DIMENSIONS</b>	
Length (mm)	5,285
Width (mm)	1,870
Height (mm)	1,822
Wading depth (mm)	800
Seating capacity (persons)	5
Fuel Tank capacity (litre)	76
<b>INTERIOR FEATURES</b>	
Hydraulic Power Assisted Steering	Equipped
Adjustable steering column	Manual - Tilt and telescopic
Leather steering wheel with multifunction controls	Switches - MID, Cruise control, Audio switch/Phone switch/Voice Control
Seat trim	Leather
Seating capacity	5
Driver's Seat Adjustable	Manual Control - Six-way adjustable with height adjustment
Air conditioner	Automatic Climate Control, dual zone with rear cabin cooling vents
Sun visor vanity mirror	Driver & Passenger with Vanity Mirror, light and Card holder
Multi Information Display (MID), Dashboard illumination control	Equipped
Cruise Control	Equipped
Electrically operated windows	All with Driver Auto Up/Down with Jam Protection & Timer
Door trim with storage pockets and integrated cupholders	Equipped
Fixed rear window, with defogger	Equipped
Interior courtesy lights	Equipped
High-mounted centre stop light	LED
Front reading lights	Equipped
Glove box	Equipped - Lockable
<b>EXTERIOR FEATURES</b>	
Exterior mirrors	Power Adjustable, Retractable
Side steps	Equipped
Mudflaps	Front & Rear
Daytime running lights (DRL)	LED
BI-LED Headlights with "on" warning buzzer, Rear LED combination tail-lights, Luggage lamp	Equipped
Roof rail	Capacity - 100kg

## ISUZU D-MAX DOUBLE CAB 3.0L SPECIFICATIONS



INFOTAINMENT	
Infotainment (with CD/DVD PLAYER, CABLE)	9" Display Audio, on demand by smartphone (Apple Carplay/ Android Auto) with WiFi & Bluetooth
No. of Speakers	8
SAFETY	
Antilock Brake system (ABS), Electronic Brake-force Distribution (EBD), Emergency Brake Assist (EBA), Electronic Stability Control (ESC), Traction Control System (TCS), Hill Descent Control (HDC), Hill Start Assist (HSA), Parking Aid (Front & Rear), Blind Spot Monitor (BSM), Rear cross traffic alert (RCTA)	Equipped
Variable Speed Intermittent Wipers	Equipped with Rain sensing wipers
Airbags	7-Dual front airbags(driver+passenger), roof rail, and side airbags, driver Knee airbag
Automatic Door Unlock with SRS Airbag Deploy	Equipped
Daytime running lights (DRL)	Equipped
LED Fog Lamps - Front	Equipped
Fog Lamps - Rear	Equipped
Front Headlamp Levelling	Automatic
Auto-on Headlamp	Equipped
Rear LED Tail Lamps	Equipped
Side Impact Protection Bars	Equipped
Height adjustable 3-point seatbelts	Equipped
ISOFIX Child Seat Anchorage	Equipped - 2nd Row Seat Outside & Centre
High Level Brake Light	Equipped
Park Assist	Equipped - Front & Rear
Reverse Camera	Equipped
Anti-theft Alarm, transponder Immobiliser & Keyless Entry, Remote Central Locking and Speed Sensing Automatic Door Lock	Equipped + Remote start Engine
Passive Entry and Key FOB with immobilizer	Equipped
Follow Me Home Headlamps	Equipped
ESS (Emergency Stop Signal)	Equipped
Walk Away Auto Door Lock	Equipped
LSD/Difflock	Difflock Equipped
Rough Terrain Mode	Equipped

# D-MAX



[www.isuzu.co.ke](http://www.isuzu.co.ke)



**Customer Care**  
Tel: 0800 724 724

# ISUZU

Disclaimer: The information contained in this brochure was accurate at the time of going to print. Specifications and equipment are subject to change without prior notice. Some illustrations in this brochure feature special equipment that is not included in standard delivery, and can be purchased at an additional cost. Printed colours may vary from actual. Errors and omissions excepted. Terms and conditions apply. Please contact your Isuzu retailer for exact information.